



GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Department for Women, Children, Disabled & Senior Citizens – Construction of AWC buildings under “Restructured and Strengthened ICDS” – Enhancement of Unit Cost from Rs.4.50 lakhs to Rs.6.50 lakhs for the AWC building - Orders – Issued.

DEPARTMENT FOR WOMEN, CHILDREN, DISABLED & SENIOR CITIZENS.

G.O.Ms.No.5,

Dated:24/01/2014.

Read the following:-

- 1) G.O.Ms.No.32. Dept for WCD&SC, Dt:28/12/2013.
- 2) G.O.Ms.No.2. Dept for WCD&SC, Dt:17/01/2014.
- 3) G.O.Ms.No.4. Dept for WCD&SC, Dt:18/01/2014.
- 4) From Commrr, WD&CW, Hyd Lr.No.4282/K5/13, dt:30.09.2013.

-----****-----

ORDER:

In the references 1st to 3rd read above, the Government have accorded administrative sanction for construction of 6436 Anganwadi Centre (AWC) buildings at an estimated unit cost of Rs.4.50 lakhs for each AWC building under “Restructured and Strengthened ICDS”.

2. In the reference 4th read above, the Commissioner, Women Development & Child Welfare Department, Hyderabad has informed that a model plan was designed to address the functional needs of an Anganwadi Centre and that the estimated cost of such a model building is Rs.6.50 lakhs. He has therefore requested the State Government to sanction additional amount of Rs.2.00 lakhs for each AWC building over and above the Rs.4.50 lakhs already provided for each AWC building under “Restructured and Strengthened ICDS”.

3. Government has carefully examined the proposal of the Commissioner, WD & CW Dept., Hyderabad and hereby accord approval of the enhanced unit cost of Rs.6.50 lakhs for each AWC building being taken up vide approval accorded in references 1st to 3rd read above.

4. The Commissioner, Women Development & Child Welfare Department, Hyderabad may ensure that construction of AWC buildings is taken up as per the model plan enclosed at Annexure – I. The work may be entrusted to the P.R. Department and in ITDA areas to T W Engg.Dept. The critical specifications to be followed to ensure that quality of construction is is not compromised is at Annexure-II.

5. Further as the unit cost does not include provision for drinking water and toilet, the same may be provided by the District Collectors from the RWS schemes or any other schemes. Similarly compound wall / green fencing and development of the outside premises is not provided in the unit cost, the same may be provided by the District Collectors by pooling funds from various schemes like MGNREGS, BRGF, ZP earmarked funds etc.

(PTO)

::2::

6. The Commissioner, Women Development & Child Welfare Department, Hyderabad may accordingly take necessary action.

7 This has the approval of Finance (Expr.WCD&SC) Department. Vide their U.O.No.1532/306/Exp.WD/13, dt.09.01.2014.

8. A copy of this order is available on the internet and can be accessed at the address www.ap.gov.in.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRAPRADESH)

NILAM SAWHNEY
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Commissioner, Women Development & Child Welfare Department, Hyderabad.

All Regional Joint Directors/Project Directors in the State.	}	Through Commrr, WD & CW, Hyd
The Accountant – General, AP, Hyderabad.		
The Pay and Accounts Officer, AP Hyderabad.		
The Directorate of Treasuries and Accounts, AP, Hyderabad.		
All District Treasury Officers.		
All District Collectors in the State.		

Copy to:

P.S. to Minister (Finance).

P.S. to Minister (IKP,WCD&SC).

P.S. to Principal Secretary to Government, WCD&SC Department.

SF/SCs.

// FORWARDED BY ORDER //

SECTION OFFICER

Annexure-I to G.O.Ms.No.5, Dept. for WCD&SCs, dt.24/01/2014.



ANNEXURE -II

Annexure-II to G.O.Ms.No.5, Dept. for WCD&SCs, dt.24/01/2014.

SPECIFICATIONS IN BRIEF FOR THE ANGANWADI CENTRE BUILDINGS.

1. Materials :

- (i) Fe500 grade HYSD steel, 43 grade Ordinary Portland Cement and electrical items shall be of ISI marked and of reputed brands.
- (ii) 2nd class bricks of size 230x110x75mm having minimum compressive strength of 40 kg/sqcm and water absorption not more than 20% shall be used.
- (iii) Coarse aggregate of different sizes shall be of machine crushed only.

2. Leveling course and flooring bed with PCC (1:5:10)

3. M25 (Design Mix) grade VRCC for (i) footings (ii) plinth beams (iii) columns (iv) roof beams and (v) 115mm thick sloped roof slab with 230mm projection around.

4. M25 (Design Mix) grade RCC for lintels over doors and windows and sun shades (600mm width) over windows and verandah opening.

5. M25 grade PCC for Bed Blocks.

6. RR masonry in CM(1:8) for basement.

7. 230mm thick brick masonry in CM(1:*) for external walls (including baffle wall over verandah opening) and 115mm thick reinforced brick masonry for internal walls.

8. Plasterings:

- (i) Exterior faces of RR masonry basement and uneven surfaces of brick masonry walls : 20mm thick in two coats i.e., 16mm thick with CM(1:6) and 4mm thick with CM(1:4)).
- (ii) Even surfaces of brick masonry walls: 12mm thick in two coats i.e., 8 mm thick with CM(1:6) and 4 mm thick with CM(1:4).
- (iii) Ceiling : 12 mm thick in single coat with CM(1:4).
- (iv) Impervious coat over roof slab: 20mm thick in CM(1:3) with best quality water proofing compound @ 1 kg per 1 bag of cement.

8. Flooring and skirting with polished Shahabad stones of tandur blue variety (1st quality) of size 457x457mm and thickness 15-18mm / best quality ceramic tiles of ISI marked or ISO accredited makes.

9. Platforms and racks in Hall, Kitchen and Store: Pre cast RCC slab of 600mm width and 25mm thick.

10. Platform in Antenatal / Nutrition Room: Pre cast RCC slab of 2000mm length, 750mm width and 25mm thick.

11. Doors and windows with salwood frame of section 100x75mm and 30mm thick both sides commercial ply flush door shutters.

(PTO)

::2::

13 Paintings :

- (i) Exterior faces of walls: Plastic Emulsion.
- (ii) Interior faces of walls and ceiling : Oil bound distemper.
- (iii) Wood and Iron work: Synthetic enamel paint.

14 Green chalk board of size 2.40mtrs x 1.20mtrs.

15 Electrification :

- (i) 1/18mm concealed copper cable for all 12 points.
- (ii) Ceiling fan – 1 No.
- (iii) Patty type tube lights – 5 Nos.
- (iv) Batten holders – 6 Nos.
- (v) 3/5 pin sockets – 2 Nos.
- (vi) SPN – 1 No. for distribution board
- (vii) Earth Pit.

NILAM SAWHNEY
PRINCIPAL SECRETARY TO GOVERNMENT